

The EcoChic logo features the brand name in a clean, sans-serif font. The 'o' is replaced by a blue square icon with a white diagonal line, resembling a stylized 'C' or a checkmark.

ecchic

A circular badge with a green border. The text inside is arranged in four lines: 'R290' in white on a blue background, 'NATURAL GAS' in green on a white background, 'zero impact on global warming' in blue on a white background, and 'FIRST ON THE MARKET' in black on a yellow background.

R290
NATURAL
GAS
zero impact
on global warming
FIRST ON THE
MARKET

The logo for Zitrodís AGUA. It features a large, stylized 'Z' with a double arrow pointing right, followed by the word 'itrodís' in a green, lowercase, sans-serif font. Below this, the word 'AGUA' is written in a large, white, uppercase, sans-serif font.

«Zitrodís
AGUA

Dispensadores de EcoChic

The counter water-cooler with an elegant, modern design... So cool!





ecoChic

I.T.

In terms of style, performance and technology, it out-matches all competition

BEER TAP

Same design and outstanding performance with mechanical analysis taps.



- Stainless steel cover with blue Plexiglas inserts.
- Natural gas R290.
- Same ice-bank performance as the Fontemagna range.
- Easy opening for maintenance.
- Inlet safety valve.
- Dispensing point for bottles of up to 37cm.

- Electronic commands or manual and mechanical tap.
- Ice-bank level indicator visible from outside.
- Replenishment of the ice-bank through connection.
- Internal storage space for filtration cartridge and UV lamp (only for the model of 150lt/h)

Optional extras:

- Activated carbon filtration and/or inlet UV.
- UV OUT (I.T. version).
- Portion Control option (I.T. version).

ECOCHIC - Technical Data

Dimensions
WxDxH
(mm)

Net weight
(kg)

Dispensing area
(height mm)



ECOCHIC I.T. 80

80
lt/h

345x592x555

29 (36 Fizz)

238-277
315-372

Op.

●

Op.

●

Op.

ECOCHIC I.T. 150

150
lt/h

488x589x555

46 (49 Fizz)

237-275
314-370

Op.

●

Op.

●

Op.

ECOCHIC BEER TAP 80

80
lt/h

345x592x580

32 (35 Fizz)

203-242
280-332

Op.

●

ECOCHIC BEER TAP 150

150
lt/h

488x589x580

43 (46 Fizz)

202-240
279-336

Op.

●



Natural refrigerant gases

With totally natural refrigerants (HC) such as R290. An ecological choice, with the added advantage of a more silent compressor and ensuring a longer life to entire refrigerant apparatus.



Supply point

For bottles and carafes up to 37 cm.

Drip tray

With adjustable height drip tray for ease when filling bottles and carafes. A drip tray with direct waste discharge is available upon request.



UV out

A UV light at end of every tap. As demonstrated by numerous studies, UV light acts as a strong steriliser therefore preventing the growth of bacteria.



Cabinet*

With optional cup dispenser. Inner bracket for mounting filters and the CO₂ cylinder. Adjustable feet. WxDxH (mm): 318 x 485 x 944

*Only for ECOCHIC I.T. 80 and ECOCHIC BEER TAP 80



Energy Saving

The optional stand-by function will reduce power consumption by 75% in comparison to that of full operating power. Making for enormous savings whilst maintaining the temperature at a low enough level to impede the proliferation of bacteria.

Ice Bank

Icebank is the highest performing professional cooling technology, an absolute necessity in any hospitality situations where large quantities of cold water are required. This is obtained through immersion of the serpentine water coils for the water and refrigerant gas being immersed in an ice bank.



Accessories



Bottle-washing basket

The universal basket for professional catering dishwashers.
Maximum capacity: 25 bottles.
Max diameter: 8.7 cm.

Dimensions WxDxH (mm)
Cover: 500x500x24
Basket: 500x500x308
Trolley: 543x543x203

Water bottles

Space* for own logo or message.



Sport Bottle 60 cl. · Inox Bottle 50 cl. · Style Bottle 75 cl. · Click Bottle 100-50-25 cl.

UV filtration in line (12W)

In line UV light.



Sanitizing and cleaning

Sanitizing and cleaning products for the plants.



Active carbon filters


Purifies the water making it crystal-clear, removing odour and taste impurities. It totally eradicates any impurity with a size of 0.5 microns, eliminates all odours and unwanted tastes such as chlorine, asbestos fibres and number of microorganisms including crypto-sporidium.

- Everpure 4C (capacity 11.000 lt.).
- Everpure AC (capacity 2.800 lt.).



UVC lamp at exit (4W)

A UV light at the end of every tap. As demonstrated by numerous studies, UV light acts as a strong steriliser therefore preventing the growth of bacteria.



Nano Silver pipe

Stainless steel tube AISI 316L with an innovative nanotechnology-based SILVER ion treatment on the surface. Silver is naturally bacterio-static and so reduces bacterial growth in the pipe. The surface treated with these nano particles is much more compact and smooth: this prevents the formation of deposits, biofilm or bacterial colonies and because the water flows better through the tube, also reduces dripping at the end of dispensing.



Pressure reducers

CO₂ pressure reducer for refillable or single-use cylinder, water block, water pressure reducer.



Certifications (see official listing):



Associations:



The quality of our water-coolers has been certified and awarded by the most important international certification bodies in the sector. A further guarantee for those who buy them and those who use them, and a source of pride for us as we reach for maximum results by focusing on **avant-garde technology, design and ecology**.



Blupura S.r.l. Registered Office: Via F.lli Branconi, 56 - 60025 Loreto (An) - Italy

Headquarters: Via Erideo Marinucci, 2/4 - Zona Industriale Squartabue - 62019 Recanati (Mc) - Italy

Tel. +39 071 971 0080 - Fax +39 071 971 0084 - info@blupura.com

Blupura Usa - 1200 Brickell Ave, Suite 1950 - Miami (FL) 33172 - USA - Tel. +1 305 777 3591 - blupurausa@blupura.com

www.blupura.com